



Pre & Post Treatment Guidelines for PicoSure Pro Laser

Precautions to take before your PicoSure laser treatment:

- No sun exposure, tanning beds, and sunless tanning cream for 4 weeks prior to treatment. Sun exposure decreases the effectiveness of the laser treatment and can increase the chance of posttreatment complications. Use a broad-spectrum UVA/UVB sunscreen with an SPF of 30 or higher. Apply to the treated area every 2 hours when exposed to the sun and it is recommended to make this a part of your skin care routine.
- Remove all makeup, creams, or oils prior to treatment.

Instructions following your laser treatment:

General (Pigment and Tattoo):

- Cleanse the treated area at least daily with water and mild soap, and then pat the area dry.
- Do not rub or scratch the treated area. If crusting/scabbing occurs, do not shave or pick area.
- Apply Aquaphor ointment (tattoo) or other moisturizer (face) to the area 2-3 times a day. Keep the area moist, and let the crusting/scabbing resolve on its own.
- Discomfort may be relieved by cold gel packs and/or an over the counter pain reliever, such as acetaminophen.

826 Main Street, Klamath Falls, OR, 97601

541-887-8229

Almondaesthetic.com



- Avoid contact sports or any other activity that could cause injury of the treated area.
- Avoid swimming, soaking or using hot tubs/whirlpools until the skin heals.
- Contact the physician if there is any indication of infection (redness, tenderness or pus).

Tattoo:

- After cleansing and while the skin is still moist, apply a thin layer of Aquaphor ointment to the treated tattoo.
- Apply a non-stick pad over the tattoo until it is healed.
- Avoid sun exposure to the treated area. Use a broad-spectrum UVA/UVB sunscreen with an SPF of 30 or higher. Apply to the treated area every 2 hours when exposed to the sun and it is recommended to make this a part of your skin care routine.
- Clean the area daily with mild soap and water and pat dry.
- Do not rub or scratch the area.
- Discomfort may be relieved by using cool gel packs or acetaminophen.
- If blistering occurs, keep the area moist by applying Aquaphor 3 times per day or antibiotic ointment per the recommendation of the physician.
- Do not enter swimming pools or hot tubs until treated areas are healed.
- No swimming or using hot tubs for 48 hours post-treatment.

826 Main Street, Klamath Falls, OR, 97601

541-887-8229

Almondaesthetic.com